



Strojírenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise)

Notifikovaná osoba identifikační číslo 1015 / Notified body identification number 1015

Hudcova 424/56b, Medlánky, 621 00 Brno, Česká republika / Czech Republic

CERTIFIKÁT ES PŘEZKOUŠENÍ TYPU EC TYPE-EXAMINATION CERTIFICATE

podle nařízení vlády č. 25/2003 Sb. a směrnice 92/42/EHS (účinnost teplovodních kotlů)
pursuant to Government Regulation 25/2003 Coll. and Directive 92/42/EEC (Hot-water boiler efficiency)

Číslo:
Number: **E-30-00663-18-rev. 3**

Výrobce:
Manufacturer: Gassero Isi Teknolojileri Sanayi Limited Şirketi
4. Sokak, No: 8
34957 Tuzla, Istanbul
TURKEY

Výrobní závod:
Manufacturing plant: Gassero Isi Teknolojileri Sanayi Limited Şirketi
4. Sokak, No: 8
34957 Tuzla, Istanbul
TURKEY

Výrobek:
Product: Kondenzační teplovodní kotel na plyná paliva
Condensing hot-water boiler burning gas

Typové označení:
Type designation: GASSERO, BLAUDENS, MEKSIS, CROPINA, SCIROCCO,
STRADA, SCOPULA, EXINOX, FIREFOX, BACCARA,
EXPANSE, SCHAHANE, MHG GASSERO

Podklad pro vydání certifikátu:
Basis of Certificate issuance: Závěrečný protokol č. 30-16351/TZ ze dne 2023-11-08
Final Report 30-16351/TZ of 2023-11-08

Strojírenský zkušební ústav, s.p., Notifikovaná osoba identifikační číslo 1015, potvrzuje, že výše uvedené výrobky splňují požadavky na účinnost teplovodních kotlů podle směrnice 92/42/EHS (nařízení vlády č. 25/2003 Sb.). Nedílnou součástí certifikátu je závěrečný protokol, který obsahuje závěry zkoušky, údaje pro identifikaci schváleného typu a seznam příslušné části technické dokumentace. Pravidla pro nakládání s certifikátem a podmínky jeho platnosti jsou uvedeny na 3. straně.

Strojírenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise), Notified Body 1015, hereby confirms that the above-mentioned products fulfil the efficiency requirements for hot-water boilers according to Directive 92/42/EEC (Government Regulation 25/2003 Coll.). An integral part of the Certificate is the Final Report comprising verification findings, data on approved type identification and the list of the relevant part of the technical documentation. The rules for using the Certificate and conditions of its validity are defined on Page 3.

Brno, 2023-11-08



Ing. Tomáš Hruška
ředitel – Director

E-30-00663-18-rev. 3, strana – page 1 (3)

Strojírenský zkušební ústav, s.p., Hudcova 424/56b, 621 00 Brno, Česká republika
Engineering Test Institute, public enterprise, Hudcova 424/56b, 621 00 Brno, Czech Republic

www.szutest.cz





Identifikace schváleného typu / Identification of the approved type:

Specification of the boilers:

Trade mark	GASSERO	BLAUDENS	MEKSIS	CROPINA	SCIROCCO	STRADA
Model	Wallcon 42	Innodens 42	MKDT 42	Cropina Wall 42	Scirocco Wall 42	Strada Wall 42
	Wallcon 50	Innodens 50	MKDT 50	Cropina Wall 50	Scirocco Wall 50	Strada Wall 50
	Wallcon 67	Innodens 67	MKDT 67	Cropina Wall 67	Scirocco Wall 67	Strada Wall 67
	Wallcon 70	Innodens 70	MKDT 70	Cropina Wall 70	Scirocco Wall 70	Strada Wall 70
	Wallcon 80	Innodens 80	MKDT 80	Cropina Wall 80	Scirocco Wall 80	Strada Wall 80
	Wallcon 115	Innodens 115	MKDT 115	Cropina Wall 115	Scirocco Wall 115	Strada Wall 115
	Wallcon 125	Innodens 125	MKDT 125	Cropina Wall 125	Scirocco Wall 125	Strada Wall 125
	Wallcon 150	Innodens 150	MKDT 150	Cropina Wall 150	Scirocco Wall 150	Strada Wall 150
	Wallcon X-treme 42	Innodens X-treme 42	MKDT X-treme 42	Cropina Wall X-treme 42	Scirocco Wall X-treme 42	Strada Wall X-treme 42
	Wallcon X-treme 50	Innodens X-treme 50	MKDT X-treme 50	Cropina Wall X-treme 50	Scirocco Wall X-treme 50	Strada Wall X-treme 50
	Wallcon X-treme 67	Innodens X-treme 67	MKDT X-treme 67	Cropina Wall X-treme 67	Scirocco Wall X-treme 67	Strada Wall X-treme 67
	Wallcon X-treme 115	Innodens X-treme 115	MKDT X-treme 115	Cropina Wall X-treme 115	Scirocco Wall X-treme 115	Strada Wall X-treme 115
	Wallcon X-treme 125	Innodens X-treme 125	MKDT X-treme 125	Cropina Wall X-treme 125	Scirocco Wall X-treme 125	Strada Wall X-treme 125
	Wallcon X-treme 150	Innodens X-treme 150	MKDT X-treme 150	Cropina Wall X-treme 150	Scirocco Wall X-treme 150	Strada Wall X-treme 150
	Wallcon X-treme 180	Innodens X-treme 180	MKDT X-treme 180	Cropina Wall X-treme 180	Scirocco Wall X-treme 180	Strada Wall X-treme 180
	Wallcon X-treme 200	Innodens X-treme 200	MKDT X-treme 200	Cropina Wall X-treme 200	Scirocco Wall X-treme 200	Strada Wall X-treme 200

Trade mark	SCOPULA	EXINOX	FIREFOX	BACCARA	EXPANSE	SCHAHANE
Model	Scopula Wall 42	Exinox Wall 42	Firefox Wall 42	Baccara Wall 42	Expans Wall 42	Schahane Wall 42
	Scopula Wall 50	Exinox Wall 50	Firefox Wall 50	Baccara Wall 50	Expans Wall 50	Schahane Wall 50
	Scopula Wall 67	Exinox Wall 67	Firefox Wall 67	Baccara Wall 67	Expans Wall 67	Schahane Wall 67
	Scopula Wall 70	Exinox Wall 70	Firefox Wall 70	Baccara Wall 70	Expans Wall 70	Schahane Wall 70
	Scopula Wall 80	Exinox Wall 80	Firefox Wall 80	Baccara Wall 80	Expans Wall 80	Schahane Wall 80
	Scopula Wall 115	Exinox Wall 115	Firefox Wall 115	Baccara Wall 115	Expans Wall 115	Schahane Wall 115
	Scopula Wall 125	Exinox Wall 125	Firefox Wall 125	Baccara Wall 125	Expans Wall 125	Schahane Wall 125
	Scopula Wall 150	Exinox Wall 150	Firefox Wall 150	Baccara Wall 150	Expans Wall 150	Schahane Wall 150
	Scopula Wall X-treme 42	Exinox Wall X-treme 42	Firefox Wall X-treme 42	Baccara Wall X-treme 42	Expans Wall X-treme 42	Schahane Wall X-treme 42
	Scopula Wall X-treme 50	Exinox Wall X-treme 50	Firefox Wall X-treme 50	Baccara Wall X-treme 50	Expans Wall X-treme 50	Schahane Wall X-treme 50
	Scopula Wall X-treme 67	Exinox Wall X-treme 67	Firefox Wall X-treme 67	Baccara Wall X-treme 67	Expans Wall X-treme 67	Schahane Wall X-treme 67
	Scopula Wall X-treme 115	Exinox Wall X-treme 115	Firefox Wall X-treme 115	Baccara Wall X-treme 115	Expans Wall X-treme 115	Schahane Wall X-treme 115
	Scopula Wall X-treme 125	Exinox Wall X-treme 125	Firefox Wall X-treme 125	Baccara Wall X-treme 125	Expans Wall X-treme 125	Schahane Wall X-treme 125
	Scopula Wall X-treme 150	Exinox Wall X-treme 150	Firefox Wall X-treme 150	Baccara Wall X-treme 150	Expans Wall X-treme 150	Schahane Wall X-treme 150
	Scopula Wall X-treme 180	Exinox Wall X-treme 180	Firefox Wall X-treme 180	Baccara Wall X-treme 180	Expans Wall X-treme 180	Schahane Wall X-treme 180
	Scopula Wall X-treme 200	Exinox Wall X-treme 200	Firefox Wall X-treme 200	Baccara Wall X-treme 200	Expans Wall X-treme 200	Schahane Wall X-treme 200



Trade mark	MHG GASSERO
Model	Wallcon 42
	Wallcon 50
	Wallcon 67
	Wallcon 70
	Wallcon 80
	Wallcon 115
	Wallcon 125
	Wallcon 150
	Wallcon X-treme 42
	Wallcon X-treme 50
	Wallcon X-treme 67
	Wallcon X-treme 115
	Wallcon X-treme 125
	Wallcon X-treme 150
	Wallcon X-treme 180
	Wallcon X-treme 200

PRAVIDLA PRO NAKLÁDÁNÍ S CERTIFIKÁTEM A PODMÍNKY JEHO PLATNOSTI

Splnění požadavků směrnice 92/42/EHS (účinnost teplovodních kotlů) bylo odvozeno ze splnění požadavků použitých norem, které jsou uvedeny v závěrečném protokolu. Novelizace některého z uvedených normativních dokumentů, zejména novelizace norem nebo vydání nových norem, může změnit skutečnosti, za kterých byl certifikát vydán. V takovém případě je třeba použitelnost certifikátu přezkoumat.

Notifikovaná osoba dbá na to, aby byla informována o všech změnách obecně uznávaného stavu techniky, které by naznačovaly, že schválený typ již nemusí být v souladu s příslušnými požadavky tohoto nařízení, a rozhodne, zda tyto změny vyžadují doplňující šetření. Pokud šetření vyžadují, notifikovaná osoba o tom informuje výrobce.

Výrobce informuje notifikovanou osobu, která uchovává technickou dokumentaci týkající se certifikátu ES přezkoušení typu, o všech úpravách schváleného typu, které mohou ovlivnit shodu spotřebiče nebo vybavení se základními požadavky tohoto nařízení nebo podmínky platnosti certifikátu. Tyto úpravy vyžadují dodatečné schválení formou dodatku k původnímu certifikátu ES přezkoušení typu.

Certifikát se může používat pouze jako certifikát výrobku, jehož specifikace je uvedena na 1. až 3. straně. To platí i pro použití v reklamních, propagačních a komerčních materiálech. Bez písemného souhlasu Strojírenského zkušebního ústavu se nesmí certifikát reprodukovat jinak než celý. Neoprávněné nebo klamavé použití certifikátu může být sankcionováno.

Je zakázáno měnit, doplňovat nebo přepisovat údaje v certifikátu.

Certifikátem nelze dokladat vlastnosti výrobku, u kterého byla provedena bez souhlasu Strojírenského zkušebního ústavu, s.p., změna ovlivňující shodu s použitými normami a technickými předpisy.

Certifikační orgán požaduje, aby držitel certifikátu vedl záznamy o všech stížnostech a opatřeních k nápravě, které se týkají výrobků, na něž se vztahuje tento certifikát.

RULES FOR USING THE CERTIFICATE AND CONDITIONS OF ITS VALIDITY

Fulfilment of the requirements of Directive 92/42/EEC (Boiler efficiency) has been derived from fulfilment of the requirements of the applied standards that are listed in the Final Report (i.e. evaluation report). Amendment of any of the mentioned normative documents, in particular amendments of standards or issuance of new standards, may change the facts and conditions, under which the present Certificate has been issued. In such a case, the applicability of the Certificate must be reviewed.

The Notified Body shall keep itself informed of any changes in the generally acknowledged state of the art, which indicate that the approved type may no longer comply with the applicable requirements of this Regulation, and shall decide whether such changes require further investigation. If so, the Notified Body shall inform the Manufacturer accordingly.

The Manufacturer shall inform the Notified Body that holds the technical documentation relating to the ES type-examination certificate of all modifications to the approved type that may affect the conformity of the appliance or fittings with the essential requirements of this Regulation or the conditions for validity of the Certificate. Such modifications shall require additional approval in the form of an addition to the original ES type-examination certificate.

This Certificate may only be used as a certificate for the product specified on Pages 1 to 3. This also applies to its use in advertising, promotional and commercial materials. This certificate may be copied in its entirety without written consent of the Engineering Test Institute. Unauthorised or deceptive use of the Certificate may be sanctioned.

It is prohibited to change, amend or overwrite the data contained in the Certificate.

The Certificate may not be used for documenting the properties of the product changed without consent of the Engineering Test Institute, Public Enterprise, in such a way that conformity with the applied standards and technical regulations applied has been affected.

Certification Body requires the holder of this Certificate to keep records of all the complaints and corrective actions relating to the products covered by this Certificate.

